




Kit 1428


PEUGEOT 1007, 3-dr Hatchback, 05-09



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



THULE[®]
SWEDEN

ISO 11154-E

The diagram illustrates the importance of instructions. It features a box on the left labeled 'THULE' with a warning symbol (a triangle with an exclamation mark) and a plus sign next to it. To the right of the plus sign is a box labeled 'instructions' with a warning symbol and the text 'Kit XXXX'. A person is shown reading the instructions.

754 Rapid System **x1**







480R Rapid Traverse (North America) **x1**

754 Rapid System **x4**


480R Rapid Traverse (North America) **x4**

754 Rapid System **x4**

480R Rapid Traverse (North America) **x4**

   x2	  x2  x2  x4  x4	  x1  x2  x2  x4	(North America)   x2  x2   x2
--	---	--	---



1






2






754 Rapid System
480R Rapid Traverse
(North America)



x4





x4



x4




480 Traverse
(North America)




x4

3




754 Rapid System



PEUGEOT 1007, 3-dr Hatchback, 05-09

X

42




PEUGEOT 1007, 3-dr Hatchback, 05-09

Y

38,5

3




480R Rapid Traverse



480 Traverse



(North America)




PEUGEOT 1007, 3-dr Hatchback, 05-09

X inch

X mm

42 1/8"

1071 mm



PEUGEOT 1007, 3-dr Hatchback, 05-09


Y inch

Y mm

40 3/4"



1036 mm

4




5


PEUGEOT 1007, 3-dr Hatchback, 05-09




6





i






A




B



	X mm	Y mm	X inch	Y inch
PEUGEOT 1007, 3-dr Hatchback, 05-09	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "







7





GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pieļieciet pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokręťla bagażnika dokręcaj dokręcaj naprzemiennie.
SK Dofahujtie striedavo
SLO Privijajte izmenično.
HR Naizmjenočno zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγγεται εναλλάξ
TR Dönüşümlü sıkın

中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชั้นในแบบสลับ





≈ 3 Nm





8



x1
17 mm





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		